



RACCORDI
IN GHISA MALLEABILE

TSP



- IQNet -

RACCORDITALIA



RACCORDI IN GHISA MALLEABILE ZINCATI

CODICE	MINIMO VENDITA	BOX	DESCRIZIONE	MISURE	CODICE FORNITORE	€
0104112	80	160	1 - Curve 90° MF	1/2	TSP0001/0004	1,507
0104113°	40	80		3/4	TSP0001/0005	2,658
0104114°	20	40		1	TSP0001/0006	3,584
0104115°	14	28		1 1/4	TSP0001/0007	6,230
0104116°	9	18		1 1/2	TSP0001/0008	8,267
0104128°	5	10		2	TSP0001/0009	13,359
0104118	6	6		2 1/2	TSP0001/0010	29,894
0104108	3	3		3	TSP0001/0011	38,677
0104120	1	1		4	TSP0001/0012	70,158
0104121	120	240	2 - Curve 90° FF	3/8	TSP0002/0003	1,679
0104122	70	140		1/2	TSP0002/0004	1,719
0104123°	40	80		3/4	TSP0002/0005	2,671
0104124°	24	48		1	TSP0002/0006	3,584
0104125°	12	24		1 1/4	TSP0002/0007	6,269
0104126°	9	18		1 1/2	TSP0002/0008	7,724
0104098°	5	10		2	TSP0002/0009	10,740
0104119	4	4		2 1/2	TSP0002/0010	30,291
0104117	3	3		3	TSP0002/0011	38,108
0104089	1	1	4	TSP0002/0012	72,195	
0104090°	80	160	40 - Curve 45° MF	1/2	TSP0040/0004	1,719
0104091°	40	80		3/4	TSP0040/0005	2,301
0104092°	30	60		1	TSP0040/0006	3,253
0104093°	15	30		1 1/4	TSP0040/0007	5,701
0104094°	12	24		1 1/2	TSP0040/0008	6,812
0104095°	6	12		2	TSP0040/0009	10,820
0104107	4	4		2 1/2	TSP0040/0010	24,034
0104097	3	3		3	TSP0040/0011	26,216
0104088	2	2		4	TSP0040/0012	59,206
0104099°	80	160	41 - Curve 45° FF	1/2	TSP0041/0004	2,037
0104100°	40	80		3/4	TSP0041/0005	2,552
0104101°	30	60		1	TSP0041/0006	3,320
0104102°	15	30		1 1/4	TSP0041/0007	6,005
0104103	12	24		1 1/2	TSP0041/0008	7,923
0104104	6	12		2	TSP0041/0009	11,150
0104105	4	4		2 1/2	TSP0041/0010	22,023
0104106	3	3		3	TSP0041/0011	28,095
0104045	2	2		4	TSP0041/0012	62,499
0213328	100	400	90 - Gomiti a 90° FF	1/4	TSP0090/0002	0,899
0103987°	80	320		3/8	TSP0090/0003	0,753
0103988°	100	200		1/2	TSP0090/0004	0,529
0103989°	60	120		3/4	TSP0090/0005	0,833
0103990°	30	60		1	TSP0090/0006	1,243
0103991°	20	40		1 1/4	TSP0090/0007	2,394
0103992°	15	30		1 1/2	TSP0090/0008	3,902
0103993°	8	16		2	TSP0090/0009	4,563
0104005°	6	12		2 1/2	TSP0090/0010	13,452
0103995°	8	8		3	TSP0090/0011	18,439
0103985°	2	2		4	TSP0090/0012	33,095



RACCORDI IN GHISA MALLEABILE ZINCATI						
CODICE	MINIMO VENDITA	BOX	DESCRIZIONE	MISURE	CODICE FORNITORE	€
0103983°	50	100	85 - Curve di sorpasso FF	1/2	TSP0085/0004	2,208
0104065°	30	60		3/4	TSP0085/0005	3,320
0103997°	100	400	92 - Gomiti a 90° MF	1/4	TSP0092/0002	0,939
0103998°	60	240		3/8	TSP0092/0003	0,873
0103999°	90	180		1/2	TSP0092/0004	0,621
0104000°	50	100		3/4	TSP0092/0005	0,952
0104001°	40	80		1	TSP0092/0006	1,613
0104002°	25	50		1 1/4	TSP0092/0007	2,791
0104003°	15	30		1 1/2	TSP0092/0008	4,219
0103975°	8	16		2	TSP0092/0009	5,595
0103996°	5	10		2 1/2	TSP0092/0010	13,902
0103994°	8	8		3	TSP0092/0011	18,320
0103966°	4	4		4	TSP0092/0012	31,243
0103967	40	80		96 - Gomiti a 90° FF, con bocchettone a sede conica	1/2	TSP0096/0004
0103968	30	60	3/4		TSP0096/0005	4,298
0103969	18	36	1		TSP0096/0006	6,190
0103970	12	24	1 1/4		TSP0096/0007	10,317
0103971	8	16	1 1/2		TSP0096/0008	12,328
0103972	5	10	2		TSP0096/0009	20,780
0103984	5	5	2 1/2		TSP0096/0010	44,629
0103974	36	72	97 - Gomiti a 90° MF, con bocchettone a sede piana	1/2	TSP0097/0004	3,769
0103965	25	50		3/4	TSP0097/0005	4,523
0103976	16	32		1	TSP0097/0006	5,753
0103977	12	24		1 1/4	TSP0097/0007	10,092
0103978	8	16		1 1/2	TSP0097/0008	13,386
0103979	4	8		2	TSP0097/0009	19,550
0103980	36	72	98 - Gomiti a 90° MF, con bocchettone a sede conica	1/2	TSP0098/0004	3,730
0103981	25	50		3/4	TSP0098/0005	4,735
0103982	16	32		1	TSP0098/0006	6,507
0104014	12	24		1 1/4	TSP0098/0007	10,899
0103973	8	16		1 1/2	TSP0098/0008	13,359
0104004	4	8		2	TSP0098/0009	22,142
0104027	4	4		2 1/2	TSP0098/0010	49,232
0104028	100	200	120 - Gomiti a 45° FF	1/2	TSP0120/0004	1,785
0104029	60	120		3/4	TSP0120/0005	2,222
0104030	30	60		1	TSP0120/0006	3,253
0213329	20	40		1 1/4	TSP0120/0007	5,925
0213330	15	30		1 1/2	TSP0120/0008	7,261
0213331	12	24		2	TSP0120/0009	9,497
0104031	100	200	121 - Gomiti a 45° MF	1/2	TSP0121/0004	1,626
0104032	60	120		3/4	TSP0121/0005	2,076
0104033	40	80		1	TSP0121/0006	3,253





RACCORDI IN GHISA MALLEABILE ZINCATI

CODICE	MINIMO VENDITA	BOX	DESCRIZIONE	MISURE	CODICE FORNITORE	€
0104034	80	320	130 - Ti a 90° FF	1/4	TSP0130/0002	1,256
0104046°	50	200		3/8	TSP0130/0003	1,058
0104036°	60	120		1/2	TSP0130/0004	0,727
0104026°	40	80		3/4	TSP0130/0005	1,243
0104038°	20	40		1	TSP0130/0006	1,851
0104039°	14	28		1 1/4	TSP0130/0007	3,253
0104040°	12	24		1 1/2	TSP0130/0008	5,092
0104041°	8	16		2	TSP0130/0009	7,169
0104042°	4	8		2 1/2	TSP0130/0010	16,441
0104043°	6	6		3	TSP0130/0011	21,957
0104044°	2	2		4	TSP0130/0012	43,095
0104016	150	150		180 - Croci a 90°	3/8	TSP0180/0003
0104037°	40	80	1/2		TSP0180/0004	2,552
0104035°	30	60	3/4		TSP0180/0005	3,875
0104007°	20	40	1		TSP0180/0006	4,801
0104008°	10	20	1 1/4		TSP0180/0007	6,494
0104009°	8	16	1 1/2		TSP0180/0008	8,637
0104010°	5	10	2		TSP0180/0009	12,936
0104011	3	6	2 1/2		TSP0180/0010	29,312
0104012	2	4	3		TSP0180/0011	33,769
0104013	1	2	4		TSP0180/0012	56,018
0213332	70	140	221 - Distribuzione a gomito	1/2	TSP0221/0004	2,420
0213333	40	80		3/4	TSP0221/0005	3,875
0213334	20	40		1	TSP0221/0006	5,145
0213335	15	30		1 1/4	TSP0221/0007	9,153
0213336	12	24		1 1/2	TSP0221/0008	13,029
0213337	5	10		2	TSP0221/0009	19,933
0104292	120	480	270 - Manicotti	1/4	TSP0270/0002	0,873
0104263°	100	400		3/8	TSP0270/0003	0,740
0104261°	120	240		1/2	TSP0270/0004	0,608
0104282°	80	160		3/4	TSP0270/0005	0,833
0104254°	50	100		1	TSP0270/0006	1,097
0104255°	32	64		1 1/4	TSP0270/0007	1,746
0104256°	18	36		1 1/2	TSP0270/0008	2,499
0104257°	12	24		2	TSP0270/0009	3,743
0104258°	8	16		2 1/2	TSP0270/0010	10,383
0104259°	6	12		3	TSP0270/0011	12,460
0104260°	3	6		4	TSP0270/0012	29,193
0104272	150	600		280 - Nippli	1/4	TSP0280/0002
0104262°	100	400	3/8		TSP0280/0003	1,018
0104252°	140	280	1/2		TSP0280/0004	0,568
0104264°	90	180	3/4		TSP0280/0005	0,727
0104265°	60	120	1		TSP0280/0006	1,058
0104266°	40	80	1 1/4		TSP0280/0007	1,746
0104267°	25	50	1 1/2		TSP0280/0008	1,997
0104268°	18	36	2		TSP0280/0009	3,650
0104269°	10	20	2 1/2		TSP0280/0010	6,547
0104270°	6	12	3		TSP0280/0011	7,910
0104209°	3	6	4		TSP0280/0012	29,193



RACCORDI IN GHISA MALLEABILE ZINCATI						
CODICE	MINIMO VENDITA	BOX	DESCRIZIONE	MISURE	CODICE FORNITORE	€
0104274	200	800	290 - Tappi maschio con bordo	1/4	TSP0290/0002	0,529
0104219°	150	600		3/8	TSP0290/0003	0,449
0104150°	180	360		1/2	TSP0290/0004	0,449
0104151°	100	200		3/4	TSP0290/0005	0,582
0104152°	60	120		1	TSP0290/0006	0,674
0104153°	40	80		1 1/4	TSP0290/0007	1,203
0104154°	35	70		1 1/2	TSP0290/0008	1,468
0104155°	20	40		2	TSP0290/0009	2,658
0104156°	16	32		2 1/2	TSP0290/0010	5,793
0104157°	16	32		3	TSP0290/0011	7,486
0104169°	6	12		4	TSP0290/0012	13,267
0104159	180	720	300 - Calotte esagonali	3/8	TSP0300/0003	0,608
0104149°	200	400		1/2	TSP0300/0004	0,687
0104161°	100	200		3/4	TSP0300/0005	0,833
0104162°	80	160		1	TSP0300/0006	0,952
0104163°	60	120		1 1/4	TSP0300/0007	1,481
0104164°	40	80		1 1/2	TSP0300/0008	1,838
0104165°	30	60		2	TSP0300/0009	3,492
0104166°	15	30		2 1/2	TSP0300/0010	6,362
0104167°	10	20		3	TSP0300/0011	6,944
0104139	6	12		4	TSP0300/0012	15,211
0104160	600	600	310 - Controdadi	1/2	TSP0310/0004	0,515
0104158	360	360		3/4	TSP0310/0005	0,555
0104130	240	240		1	TSP0310/0006	0,793
0104131	90	180		1 1/4	TSP0310/0007	1,164
0104132	70	140		1 1/2	TSP0310/0008	1,296
0104133	40	80		2	TSP0310/0009	2,658
0104134	20	40		2 1/2	TSP0310/0010	5,965
0104135	20	40		3	TSP0310/0011	7,023
0104136	50	100	330 - Bocchettoni FF a sede piana	1/2	TSP0330/0004	2,195
0104148	30	60		3/4	TSP0330/0005	2,592
0104138	20	40		1	TSP0330/0006	2,962
0104129	15	30		1 1/4	TSP0330/0007	5,092
0104140	10	20		1 1/2	TSP0330/0008	6,574
0104141	6	12		2	TSP0330/0009	10,939
0104142	4	8		2 1/2	TSP0330/0010	25,119
0104143	4	8		3	TSP0330/0011	36,917
0104144	2	4		4	TSP0330/0012	86,507
0104145	40	80	331 - Bocchettoni MF a sede piana	1/2	TSP0331/0004	2,619
0104146°	30	60		3/4	TSP0331/0005	2,936
0104178°	20	40		1	TSP0331/0006	3,518
0104137°	15	30		1 1/4	TSP0331/0007	6,402
0104168°	10	20		1 1/2	TSP0331/0008	7,751
0104191°	6	12		2	TSP0331/0009	12,116
0104192°	6	6		2 1/2	TSP0331/0010	28,227
0104193	6	6		3	TSP0331/0011	41,283





RACCORDI IN GHISA MALLEABILE ZINCATI							
CODICE	MINIMO VENDITA	BOX	DESCRIZIONE	MISURE	CODICE FORNITORE	€	
0213349	240	480	340 - Bocchettoni FF a sede conica	1/4	TSP0340/0002	4,007	
0104194	70	140		3/8	TSP0340/0003	3,597	
0104195°	40	80		1/2	TSP0340/0004	2,791	
0104196°	30	60		3/4	TSP0340/0005	3,174	
0104197°	20	40		1	TSP0340/0006	3,677	
0104198°	15	30		1 1/4	TSP0340/0007	6,256	
0104210°	10	20		1 1/2	TSP0340/0008	7,328	
0104200°	6	12		2	TSP0340/0009	12,063	
0104190	4	8		2 1/2	TSP0340/0010	26,626	
0104202	4	8		3	TSP0340/0011	37,129	
0104203	2	4	4	TSP0340/0012	75,052		
0213350	240	480	341 - Bocchettoni MF a sede conica	1/4	TSP0341/0002	4,153	
0213351	70	140		3/8	TSP0341/0003	3,227	
0104204°	40	80		1/2	TSP0341/0004	2,738	
0104205°	30	60		3/4	TSP0341/0005	3,306	
0104206°	20	40		1	TSP0341/0006	4,074	
0104207°	15	30		1 1/4	TSP0341/0007	6,521	
0103986°	10	20		1 1/2	TSP0341/0008	8,320	
0104068°	6	12		2	TSP0341/0009	13,280	
0104069°	3	6		2 1/2	TSP0341/0010	29,074	
0104070°	3	6		3	TSP0341/0011	45,383	
0104071	2	2	4	TSP0341/0012	83,280		
0213352	120	480	529 - Manicotti MF	3/8	TSP0529/0003	1,071	
0104072°	70	280		1/2	TSP0529/0004	1,137	
0104073°	40	160		3/4	TSP0529/0005	1,719	
0104074°	50	100		1	TSP0529/0006	2,552	
0104075°	30	60		1 1/4	TSP0529/0007	3,320	
0104087°	20	40		1 1/2	TSP0529/0008	4,801	
0104077°	15	30	2	TSP0529/0009	8,055		
0104067°	150	300	531 - Nippli semplici	1/2	TSP0531/0004	0,753	
0104079°	100	200		3/4	TSP0531/0005	1,097	
0104080°	75	150		1	TSP0531/0006	1,613	
0104081	50	100		1 1/4	TSP0531/0007	3,730	
0104082	25	50		1 1/2	TSP0531/0008	3,915	
0104083	35	35		2	TSP0531/0009	6,944	
0213353	16	16		2 1/2	TSP0531/0010	9,629	
0213354	12	12		3	TSP0531/0011	12,685	
0104025°	60	240		240 - Manicotti ridotti FF	1/2 x 3/8	TSP0240/002R	0,912
0213338	120	240			3/4 x 3/8	TSP0240/003R	1,269
0104015°	90	180	3/4 x 1/2		TSP0240/004R	1,071	
0213339	120	120	1 x 3/8		TSP0240/005R	1,785	
0104006°	60	120	1 x 1/2		TSP0240/006R	1,349	
0104017°	50	100	1 x 3/4		TSP0240/007R	1,243	
0104018	40	80	1 1/4 x 1/2		TSP0240/009R	2,619	
0104019°	40	80	1 1/4 x 3/4		TSP0240/010R	2,301	
0104020°	30	60	1 1/4 x 1		TSP0240/011R	2,222	
0213340	30	60	1 1/2 x 1/2		TSP0240/012R	4,074	



RACCORDI IN GHISA MALLEABILE ZINCATI						
CODICE	MINIMO VENDITA	BOX	DESCRIZIONE	MISURE	CODICE FORNITORE	€
0213341	30	60	240 - Manicotti ridotti FF	1 1/2 x 3/4	TSP0240/013R	3,584
0104021°	25	50		1 1/2 x 1	TSP0240/014R	2,724
0104022°	25	50		1 1/2 x 1 1/4	TSP0240/015R	3,015
0213342	18	36		2 x 1/2	TSP0240/016R	5,661
0104023°	18	36		2 x 1	TSP0240/018R	5,396
0104024°	15	30		2 x 1 1/4	TSP0240/019R	5,238
0104147°	15	30		2 x 1 1/2	TSP0240/020R	4,497
0104271°	8	16		2 1/2 x 2	TSP0240/024R	12,288
0104127	6	12		3 x 2	TSP0240/028R	19,378
0104233	6	12		3 x 2 1/2	TSP0240/029R	22,050
0213343	6	6	4 x 3	TSP0240/032R	35,992	
0104234°	150	600	241 - Riduzioni MF	1/2 x 1/4	TSP0241/001R	0,542
0104235°	150	600		1/2 x 3/8	TSP0241/002R	0,542
0104236°	150	300		3/4 x 3/8	TSP0241/003R	0,740
0104237°	160	320		3/4 x 1/2	TSP0241/004R	0,582
0213344	180	180		1 x 3/8	TSP0241/005R	1,243
0104238°	90	180		1 x 1/2	TSP0241/006R	0,833
0104239°	90	180		1 x 3/4	TSP0241/007R	0,753
0213345	180	120		1 1/4 x 3/8	TSP0241/008R	2,288
0104251°	60	120		1 1/4 x 1/2	TSP0241/009R	1,388
0104241°	60	120		1 1/4 x 3/4	TSP0241/010R	1,243
0104231°	60	120		1 1/4 x 1	TSP0241/011R	1,018
0213347	30	60		1 1/2 x 3/8	TSP0241/139R	2,830
0104243°	30	60		1 1/2 x 1/2	TSP0241/012R	1,851
0104244°	30	60		1 1/2 x 3/4	TSP0241/013R	2,473
0104245°	40	80		1 1/2 x 1	TSP0241/014R	1,349
0104246°	40	80		1 1/2 x 1 1/4	TSP0241/015R	1,388
0104247°	25	50		2 x 1/2	TSP0241/016R	3,743
0104248°	25	50		2 x 3/4	TSP0241/017R	3,703
0104249°	25	50		2 x 1	TSP0241/018R	3,042
0104221°	25	50		2 x 1 1/4	TSP0241/019R	2,870
0104242°	25	50		2 x 1 1/2	TSP0241/020R	2,592
0104240°	15	30		2 1/2 x 1	TSP0241/021R	6,005
0104212°	15	30		2 1/2 x 1 1/4	TSP0241/022R	6,944
0104213°	15	30		2 1/2 x 1 1/2	TSP0241/023R	6,547
0104214°	15	30		2 1/2 x 2	TSP0241/024R	4,986
0104215°	10	20		3 x 1	TSP0241/025R	9,417
0104216°	10	20		3 x 1 1/4	TSP0241/026R	9,417
0104217°	10	20		3 x 1 1/2	TSP0241/027R	8,730
0104218°	10	20		3 x 2	TSP0241/028R	6,468
0104230°	10	20		3 x 2 1/2	TSP0241/029R	7,328
0213346	10	10		4 x 1 1/2	TSP0241/114R	22,539
0104220°	5	10		4 x 2	TSP0241/030R	18,902
0104211°	5	10		4 x 2 1/2	TSP0241/031R	14,034
0104222°	5	10		4 x 3	TSP0241/032R	13,478



RACCORDI IN GHISA MALLEABILE ZINCATI

CODICE	MINIMO VENDITA	BOX	DESCRIZIONE	MISURE	CODICE FORNITORE	€
0104223°	140	280	245 - Nippli ridotti MM	1/2 x 3/8	TSP0245/002R	1,269
0104224°	80	160		3/4 x 1/2	TSP0245/004R	1,124
0104225°	60	120		1 x 1/2	TSP0245/006R	2,248
0104226°	60	120		1 x 3/4	TSP0245/007R	1,269
0213348	40	80		1 1/4 x 1/2	TSP0245/009R	3,505
0104227°	40	80		1 1/4 x 3/4	TSP0245/010R	2,976
0104228°	40	80		1 1/4 x 1	TSP0245/011R	2,063
0104229	30	60		1 1/2 x 3/4	TSP0245/013R	3,015
0104253°	25	50		1 1/2 x 1	TSP0245/014R	4,801
0104284°	25	50		1 1/2 x 1 1/4	TSP0245/015R	2,552
0104250	20	40		2 x 1	TSP0245/018R	4,338
0104275°	20	40		2 x 1 1/4	TSP0245/019R	5,396
0104276°	18	36		2 x 1 1/2	TSP0245/020R	4,933
0104277°	15	30		2 1/2 x 2	TSP0245/024R	11,865
0104278	6	12		3 x 2	TSP0245/028R	14,629
0104279	6	12		3 x 2 1/2	TSP0245/029R	19,219
0104280°	150	300		246 - Manicotti ridotti MF	1/2 x 3/8	TSP0246/002R
0104281°	100	200	3/4 x 1/2		TSP0246/004R	1,124
0104293°	60	120	1 x 1/2		TSP0246/006R	1,719
0104283°	60	120	1 x 3/4		TSP0246/007R	1,812
0104273°	35	70	1 1/4 x 3/4		TSP0246/010R	3,253
0104285°	35	70	1 1/4 x 1		TSP0246/011R	2,195
0104286°	25	50	1 1/2 x 1		TSP0246/014R	3,875
0104287°	25	50	1 1/2 x 1 1/4		TSP0246/015R	3,399
0104288	40	40	2 x 1		TSP0246/018R	6,534
0104289°	40	40	2 x 1 1/4		TSP0246/019R	5,515
0104290°	20	40	2 x 1 1/2		TSP0246/020R	6,388
0104291	30	30	2 1/2 x 2	TSP0246/024R	9,497	
0104084°	60	240	90r - Gomiti a 90° ridotti FF	1/2 x 3/8	TSP090R/002R	1,005
0104085°	40	160		3/4 x 1/2	TSP090R/004R	1,137
0104057°	50	100		1 x 1/2	TSP090R/006R	1,613
0104078°	50	100		1 x 3/4	TSP090R/007R	1,732
0104076°	40	80		1 1/4 x 1/2	TSP090R/009R	2,936
0104048°	30	60		1 1/4 x 3/4	TSP090R/010R	3,584
0104049°	20	40		1 1/4 x 1	TSP090R/011R	2,857
0104050	20	40		1 1/2 x 1/2	TSP090R/012R	6,322
0104051	20	40		1 1/2 x 3/4	TSP090R/013R	4,867
0104052°	20	40		1 1/2 x 1	TSP090R/014R	4,589
0104053°	15	30		1 1/2 x 1 1/4	TSP090R/015R	4,576
0104054	14	28		2 x 1	TSP090R/018R	7,261
0104066°	10	20		2 x 1 1/4	TSP090R/019R	7,896
0104056°	10	20		2 x 1 1/2	TSP090R/020R	8,108
0104047°	40	160	130r - Ti a 90° ridotti o maggiorati	1/2 x 3/8 x 1/2	TSP130R/034R	1,560
0213355	80	160		1/2 x 1/2 x 3/8	TSP130R/035R	1,666
0104058°	60	120		1/2 x 3/4 x 1/2	TSP130R/036R	1,587
0104059°	25	100		3/4 x 3/8 x 3/4	TSP130R/038R	1,759
0104060°	50	100		3/4 x 1/2 x 1/2	TSP130R/039R	1,428
0104061°	40	80		3/4 x 1/2 x 3/4	TSP130R/040R	1,283
0104062°	40	80		3/4 x 3/4 x 1/2	TSP130R/042R	1,653
0104063°	40	80		1 x 1/2 x 1/2	TSP130R/045R	3,015



RACCORDI IN GHISA MALLEABILE ZINCATI						
CODICE	MINIMO VENDITA	BOX	DESCRIZIONE	MISURE	CODICE FORNITORE	€
0104064°	40	80	130r - Ti a 90° ridotti o maggiorati	1 x 1/2 x 3/4	TSP130R/046R	2,142
0104096°	30	60		1 x 1/2 x 1	TSP130R/047R	1,746
0104055°	40	80		1 x 3/4 x 1/2	TSP130R/048R	2,724
0104086°	30	60		1 x 3/4 x 3/4	TSP130R/049R	2,182
0104109°	24	48		1 x 3/4 x 1	TSP130R/050R	1,865
0104110°	30	60		1 x 1 x 1/2	TSP130R/051R	2,275
0104111°	30	60		1 x 1 x 3/4	TSP130R/052R	2,499
0213356	20	40		1 x 1 1/4 x 1	TSP130R/053R	4,629
0213357	18	36		1 x 1 1/2 x 1	TSP130R/054R	5,476
0104208	20	40		1 1/4 x 1/2 x 1	TSP130R/055R	3,399
0104180°	20	40		1 1/4 x 1/2 x 1 1/4	TSP130R/056R	2,923
0213358	20	40		1 1/4 x 3/4 x 3/4	TSP130R/057R	4,404
0104201°	20	40		1 1/4 x 3/4 x 1	TSP130R/058R	3,981
0104199°	20	40		1 1/4 x 3/4 x 1 1/4	TSP130R/059R	3,082
0104171°	20	40		1 1/4 x 1 x 1	TSP130R/060R	4,259
0104172°	15	30		1 1/4 x 1 x 1 1/4	TSP130R/061R	3,439
0104173	20	40		1 1/4 x 1 1/4 x 1/2	TSP130R/062R	4,933
0104174	20	40		1 1/4 x 1 1/4 x 3/4	TSP130R/063R	5,780
0104175°	15	30		1 1/4 x 1 1/4 x 1	TSP130R/064R	4,841
0104176°	18	36		1 1/2 x 1/2 x 1 1/2	TSP130R/067R	3,915
0104232	12	24		1 1/2 x 3/4 x 1 1/4	TSP130R/138R	6,018
0104177°	15	30		1 1/2 x 3/4 x 1 1/2	TSP130R/068R	4,259
0104189°	15	30		1 1/2 x 1 x 1 1/2	TSP130R/071R	4,616
0213359	12	24		1 1/2 x 1 1/4 x 1 1/4	TSP130R/072R	6,494
0104179°	12	24		1 1/2 x 1 1/4 x 1 1/2	TSP130R/073R	6,269
0104170	15	30		1 1/2 x 1 1/2 x 1/2	TSP130R/074R	6,626
0104181	15	30		1 1/2 x 1 1/2 x 3/4	TSP130R/075R	7,460
0104182°	12	24		1 1/2 x 1 1/2 x 1	TSP130R/076R	7,354
0213360	12	24		1 1/2 x 1 1/2 x 1 1/4	TSP130R/077R	7,632
0104183°	10	20		2 x 1/2 x 2	TSP130R/079R	5,806
0104184°	10	20		2 x 3/4 x 2	TSP130R/081R	8,333
0104185°	10	20		2 x 1 x 2	TSP130R/082R	5,886
0213361	8	16		2 x 1 1/4 x 1 1/4	TSP130R/083R	8,783
0104186°	8	16		2 x 1 1/4 x 2	TSP130R/084R	8,333
0104187°	8	16		2 x 1 1/2 x 1 1/2	TSP130R/085R	9,140
0104188°	8	16		2 x 1 1/2 x 2	TSP130R/086R	5,793
0213362	8	16		2 x 2 x 1 1/2	TSP130R/089R	9,788
0213363	5	10		2 1/2 x 1 x 2 1/2	TSP130R/090R	12,050
0213364	5	10		2 1/2 x 1 1/4 x 2 1/2	TSP130R/091R	16,547
0213365	5	10		2 1/2 x 1 1/2 x 2 1/2	TSP130R/092R	14,404
0213366	4	8		2 1/2 x 2 x 2 1/2	TSP130R/094R	16,190
0213367	3	6		3 x 1 x 3	TSP130R/095R	19,775
0213368	3	6		3 x 1 1/4 x 3	TSP130R/096R	22,738
0213369	3	6		3 x 1 1/2 x 3	TSP130R/097R	22,817
0213370	3	6		3 x 2 x 3	TSP130R/098R	21,177
0213371	3	6		3 x 2 1/2 x 3	TSP130R/099R	25,066
0213372	2	4		4 x 2 x 4	TSP130R/101R	37,328